Longbank
innovation with care

Coffee machine

2024 Product catalog

Longbank

Ningbo Longbank Group Co., Ltd.

Add.:2nd FL,Xincheng International Building,No.535 Qingshuiqiao Road,
Hi-tech Zone, NB ZJ China 315100

Mb/Whatsapp: 0086 189 5835 8801 Email: info3@longbank.com

Web:www.longbank.com www.coffeemax.com

INTRODUCTION

Established in early 2012, currently annual operating income exceeds about RMB 1 billion. Longbank always take people-oriented, respect for customers and employees, to meet the needs of customers and employees for the development of the company's most unshakable concept.

The foreign trade department is mainly engaged in water treatment & dipenser products, small household appliances and motors, including RO system water purifiers and accessories, water softeners, hot and cold water dispenser etc. Small household appliances include air fryer, coffee machine (capsule coffee machine, semi-automatic coffee machine, automatic coffee machine), noodle maker, juicer, high speed blender, garbage disposal, ice machine, ice crusher, etc. Motor products include DC motor, AC motor and brushless motor for home appliances, garden tools and automobile DC/AC motor and brushless motor.

Our factory, Lanshan Motor Enterprise Co., Ltd., covers an area of 60,000 square meters and has more than 1,000 employees, including 70 professional technical staffs. Our factory integrates R&D, design, manufacturing altogether, and invests heavily in developing innovative products for all the world. Our factory has passed ISO9001-2008, ISO14001-2004 and other quality certification system.

Recently Longbank's business has been growing at a rate of 30% every year and in the future, the company will become a professional well-known, international supply chain.

Longbank—innovation with care!

Longbank
innovation with care

Ningbo Longbank Group Co., Ltd.



SOLUTIONS FOR DIFFERENT CAPSULE FORMATS

NESPRESSO & COMPATIBLE

LAVAZZA SERIES

Others

Others

LBCM001

Coffee machine

SUITABLE CAPSULES

FEATURES :

+ Professional level machine with steam wand
+ Programmable Short/Long/Manual cup size control
+ One Knob control for coffee or steam
+ Elegant ergonomic design

Basic specification		Main Functions in Panel		Product Features:
Rated Voltage	220-240V~	Product Size	350x180x270mm	^^ Real full automatic ejection machine like Nespresso U/Prodigio ^^ Suitable for Nespresso/Lavazza blue/Lavazza point/Cafit-taly/Espresso Cap, etc., (Not one time) ^^ Patented auto used capsule ejection system with collection container up to 12 pcs max. ^^ Three buttons for different volume choices: Programmable short, lungo, customized volume; ^^ Sliding brewing chamber cover; ^^ Instant heating thermoblock boiler keeps no furring and energy saving; ^^ Removable drip collection tray with s/s grill; ^^ Removable water tank; ^^ Energy saving system: 8 minutes auto turn off when idle; ^^ Patented venturi richer crema system for hard capsules; ^^ Detachable coffee outlet for dishwasher cleaning.
Rated Frequency	50Hz	Color Box Size	383x223x310mm	
Rated Power	1,400W	N.W./G.W.	3.5/4.0kgs	
Pump Pressure	15/19/20bars According to capsule type	Carton Size	786x465x333mm	
Water Tank Capacity	900ml	PCS/CTN.	4	
Drip Tray Capacity	350ml	PCS/20' FCL	980	
Protection Class	I	PCS/40'FCL	2,100	
Material	ABS plastic housing.	PCS/40'HQ FCL	2,400	
Approval		H. S. Code	8516713000	

LBCM002

Coffee machine

SUITABLE CAPSULES

FEATURES :

+ One of the world s smallest machine
+ Touching control panel for Ristretto, Espresso,Lungo
+ Big collection container for up to 18 pcs(Nespresso)
+ Inox side panel & drip tray grill available

Basic specification		Main Functions in Panel		Product Features:
Rated Voltage	220-240V~	Product Size	290Lx127Wx230Hmm	^^ One of the smallest espresso machine in the world! Patented! ^^ Customized solutions for different capsules: Nespresso(and compatible)/Lavazza blue/Lavazza Espresso Point/Cafit-taly/Espresso Cap/Illy, Tutto, etc. ^^ Patented automatic ejection system with collection container up to 10 pcs(LB) or 18 pcs(N) ^^ Three touch buttons for restretto, espresso(short), Lungo(long): 25ml/40ml/110ml ^^ All button cup sizes are reprogrammable with precise flow meter control ^^ Exclusive sucking feet to keep machine steady ^^ Optional stainless steel side panel and drip tray grill ^^ Instant heating thermo-block for fast brewing ^^ Removable drip tray for tall glass ^^ Removable water tank ^^ Energy saving system: auto off in 8 min. when idle
Rated Frequency	50Hz	Color Box Size	333x160x266mm	
Rated Power	1400W	N.W./G.W.	2.6/3.2kgs	
Pump Pressure	15-21bars	Carton Size	676Lx330WX281Hmm	
Water Tank Capacity	700ml	PCS/CTN.4	4	
Drip Tray Capacity	200ml	PCS/20' FCL	1,888	
Waste Capsule Container	480mm	PCS/40'FCL	3,904	
Protection Class	I	PCS/40'HQ FCL	4,448	
Housing Material	ABS plastic	H. S. Code	8516713000	
Approval				

LBCM003

Coffee machine

one button option

Basic specification		Main Functions in Panel		Product Features:
Machine size	280*10*230mm	Coffee Machine Color	White,Red,Black	^^Multi capsule for(Nespresso,Dolce gusto,Coffee powder,Lavazza blue,ESE Pod) ^^Cute and Fashion Patent Design ^^Special design for 2 Level Cups Settings ^^Drawer-type Capsule holder Easy to use ^^Mouse Scroll Wheel Easy for you choose 7 Level Volume ^^7 Level LED Volume Select Easy to Know ^^Energy saving function within 9mins ErP, Auto shut off
Weight	2.0KG	Frother with black handle Size	20.5x3.3x2.2cm	
Touch display easy for you choose 7 Level Volume		Material	ABS,SS304	
Voltage	220V-230V. 50Hz/60Hz	Packing	4c color box	
Rated Power	1400W			
Pump	ITALY ODE pump 15 bar			
Water tank Capacity	0.9 L			
Approval				

LBCM004

Coffee machine

SUITABLE CAPSULES

FEATURES :

+ Premium aluminum alloy body, same as Macbook
+ Touching control panel for Ristretto, Espresso,Lungo
+ Optional milk container for one touch milk coffee

Basic specification		Main Functions in Panel		Product Features:
Rated Voltage	220-240V~	Product Size	322Lx134.5Wx241Hmm / 322Lx226Wx241Hmm	^^ Customized solutions for different capsules: Nespresso(and compatible)/Lavazza blue/Lavazza EspressoPoint/Cafittaly/Espresso Cap/Illy, Tutto, etc. ^^ Patented automatic ejection system with collection container up to 10 pcs(LB) or 18 pcs(N) ^^ Premium aluminum alloy housing processed by CNC ^^ Three touch buttons for restretto, espresso(short), Lungo(long): 25ml/40ml/110ml ^^ All button cup sizes are reprogrammable with precise flow meter control ^^ Instant heating thermo-block for fast brewing ^^ Removable four step drip tray for tall glass ^^ Removable water tank with foldable lid ^^ Energy saving system: auto offin 8 min. wh en idle and descaling mode ^^ Nova+: - Pyrex water container for 800ml max., with s/s pipe - All milking parts disassemble and washable - With microswitch for safety
Rated Frequency	50Hz	Color Box Size	346x158x265mm / 451x159x265mm	
Rated Power	1,400W	N.W./G.W.	4.4/5.2kgs	
Pump Pressure	20bars	Carton Size	707Lx331WX284Hmm / 466Lx651Wx284Hmm	
Water Tank Capacity	1200ml	PCS/CTN.	4	
Drip Tray Capacity	150ml	PCS/20' FCL	1,792/1,440	
Waste Capsule Container	480mm	PCS/40'FCL	3,808/2,880	
Protection Class	I	PCS/40'HQ FCL	4,284/3,240	
Housing Material	Aluminum alloy	H. S. Code	8516713000	
Approval				

LBCM005

Coffee machine

SUITABLE CAPSULES

E.S.E. pod

FEATURES :

+ E.S.E. POD espresso machine
+ Three touch buttons, with flow meter,thermalblock
+Premium Aluminum alloy body, Red Wood handle
+ Compact design

Basic specification		Main Functions in Panel	Product Features:
Voltage	220-240V/110-127V		^^ Operating modes: heating, cooking, kee warm, timer; ^^ Default timing: 10min. (Heating), 20min.(Cooking) ; ^^ Elegant high whiteness lights digital display; ^^ Chromed box handle for convenient carry; ^^ Chromed zinc alloy shit lever for selection and On/Off; ^^ Double-level SUS304 food container; ^^ Chromed Zinc Alloy lifting handle; ^^ Detachable power cord: 80cm length; ^^ PTC safe heating element;
Frequency	50/60Hz		
Power	1400W		
Water Tank Capacity	1000ml		
Drip Tray Capacity	40ml		
Coffee outlet height	40-150mm		
Pump Pressure	20bar Italy ULKA Water Pump		
Product Size	259*126*327.5mm		
Color Box Size	284.5*150*372mm		
Net Weight	3,5kg		
Gross Weight	4.8kg		
PCS/CTN.	4		
PCS/20' FCL	1632		
PCS/40'FCL	3552		
PCS/40'HQ FCL	3928		
H. S. Code	8516713000		

LBCM006

Coffee machine

SUITABLE CAPSULES

FEATURES:

+ New benchmark of coffee machine
+ One for all capsules, grounds, pods
+ Premium Aluminum alloy body, Red Wood handle
+ Compact design

Basic specification		Main Functions in Panel		Product Features:
Rated Voltage	220-240V~	Product Size	249Lx126Wx327.5Hmm	^^ A coffee machine for all: Ground coffee, E.S.E. POD, all capsules. ^^ Programmable touch control buttons for restretto, espresso(short), Lungo(long); ^^ Premium Alluminum alloy body, processed with high precision CNC machine; ^^ Instant heating thermo-block for fast brewing; ^^ Exclusive patented brewing chamber preheating system; ^^ Unique stepless height adjustable drip tray ; ^^ Removable water tank; ^^ Realwood mahogany handle; ^^ Energy saving system: 8 min. or 30 min. auto off when idle; Available Modulars: +Coffee Ground; +E.S.E. Pod; +Nespresso; +Dolce Gusto;+Caffitaly; +Lavazza Blue; +Lavazza A modo mio; +Lavazza Espresso Point(Segafredo); +Espresso Cap; +K-Cup(1.0);
Rated Frequency	50Hz	Color Box Size	284.5x150x372mm	
Rated Power	1,400W	N.W./G.W.	3.5/4.8kgs	
Pump Pressure	20bars	Carton Size	583Lx324WX393Hmm	
Water Tank Capacity	1000ml	PCS/CTN.	4	
Drip Tray Capacity	40ml	PCS/20' FCL	1,632	
Coffee Outlet Height	40-150mm	PCS/40'FCL	3,552	
Protection Class	I	PCS/40'HQ FCL	3,928	
Housing Material:	Aluminium alloy	H. S. Code	8516713000	
Approval	Approval:			

LBCM021

Coffee machine

Basic specification		Main Functions in Panel	Product Features:
Voltage	220V-240V. 50/60Hz		^^Multi capsule for(Nespresso,Dolce gusto,Coffee Powder) ^^Cute and Fashion Patent Design ^^Special design for Multicapsule Brewing System(Unique） ^^Special design for 2 Level Cups Settings ^^Drawer-type Capsule holder Easy to use ^^Button Easy for you choose 7 Level Volume ^^7 Level LED Volume Select Easy to Know ^^Cold and Hot drink you choose ^^Energy saving function within 9mins ErP, Auto shut off
Rated Power	1400W		
Pump	ITALY pump 20 bar		
Water tank Capacity	0.85 L		
Certification	CE,GS,CB,EMC,LVD,ROHS,LFGB,SAA, ETL		
Machine size	303*105*236mm		
Weight	2.25KG		
Color Box Size	335*136*283mm		
Carton Size (4 pcs)	56cm*34.5cm*30cm		
Quantity per carton	4PCS/CTN		
NW	10.8 KG		
GW	11.5 KG		
Container Quantities (PCS)	20ft: 1928 pcs		
	40ft: 4000 pcs		
	40HQ: 4533 pcs		
Minimum order quantity(MOQ)	20ft container （1928pcs）		

LBCM022

Coffee machine

Basic specification		Main Functions in Panel	Product Features:
Voltage	220V-240V, 50/60Hz		^^ Compatible with ALL NESPRESSO size Capsule ^^ Fashion Patent Design ^^ Special Patent design for Metal Brewing System(Unique） ^^ Special design for Cups Settings ^^ Special Coffee Crema System ^^ 2 Button for Short Espresso and Lungo cup coffee ^^ Metal handle Black Matt or Chrome ^^ Energy saving function within 9mins ErP, Auto shut off
Rated Power	1450W		
Pump	ITALY pump 20 bar		
Capsule Container Capacity	18 pcs		
Water tank Capacity	1 L		
Certification	CE,GS,CB,EMC,LVD, ROHS,SAA ,ErP, LFGB		
Machine size	340*120*235mm		
Weight	2.8KG		
Color Box Size	368*140*272mm		
Carton Size (4 pcs)	58cm*38cm*29.5cm		
Quantity per carton	4PCS/CTN		
NW	12.4KG		
GW	13.15KG		
Container Quantities (PCS)	20ft: 1900 pcs		
	40ft: 3800pcs		
	40HQ: 4220 pcs		
Minimum order quantity(MOQ)	20ft container （1900pcs）		

LBCM024

Coffee machine

Basic specification		Main Functions in Panel	Product Features:
Voltage	220V-240V, 50HZ /60Hz or 110-120V,60Hz		^^ Compatible with ALL NESPRESSO size Capsule ^^ Fashion Patent Design ^^ Special Patent design for Metal Brewing System(Unique） ^^ Special design for Cups Settings ^^ Special Coffee Crema System ^^ 3 Buttons for three size cup coffee ^^ Metal handle Black Matt or Chrome ^^ Energy saving function within 9mins ErP, Auto shut off
Rated Power	1400W		
Pump	ITALY pump 20 bar		
Capsule Container Capacity	7 pcs		
Water tank Capacity	0.85 L		
Certification	CE,GS,CB,EMC,LVD, ROHS,SAA ,ErP, LFGB		
Machine size	320*95*222mm		
Weight	2.1KG		
Color Box Size	357*139*278mm		
Carton Size (4 pcs)	59cm*36.5cm*29.5cm		
Quantity per carton	4PCS/CTN		
NW	12.4KG		
GW	13.15KG		
Container Quantities (PCS)	20ft: 1928 pcs		
	40ft: 4000pcs		
	40HQ: 4416pcs		
Minimum order quantity(MOQ)	20ft container （1928pcs）		

LBCM025

Coffee machine

Basic specification		Main Functions in Panel	Product Features:
Voltage	220V-240V, 50HZ /60Hz or 110-120V,60Hz		^^ Compatible with ALL NESPRESSO size Capsule ^^ Fashion Patent Design ^^ Special Patent design for Metal Brewing System(Unique） ^^ Special design for Cups Settings ^^ Special Coffee Crema System ^^ 2 Button for Short Espresso and Lungo cup coffee ^^ 1 Button for milk foam ^^ Milk tank for Cappuccion and latte ^^ Metal handle Black Matt or Chrome ^^ Energy saving function within 9mins ErP, Auto shut off
Rated Power	1400W		
Pump	ITALY pump 20 bar		
Capsule Container Capacity	7 pcs		
Water tank Capacity	0.85 L		
Certification:	CE,GS,CB,EMC,LVD, ROHS,SAA ,ErP, LFGB		
Machine size	320*143*222mm		
Weight: 2.1KG	2.1KG		
Color Box Size	357*139*278mm		
Carton Size (4 pcs)	59cm*36.5cm*29.5cm		
Quantity per carton	4PCS/CTN		
NW	12.4KG		
GW	13.15KG		
Container Quantities (PCS)	20ft: 1928 pcs		
	40ft: 4000pcs		
	40HQ: 4416pcs		
Minimum order quantity(MOQ)	20ft container （1928pcs）		

LBCM011

Coffee machine

FEATURES :

+ Manual pump espresso machine, 20Bar, flow meter
+ Touching control panel for Ristretto, Espresso, Steam
+ Compact elegant design
+ Optional milk container for one touch milk coffee

Basic specification		Main Functions in Panel		Product Features:
Rated Voltage	220-240V~	Product Size	368Lx122Wx303Hmm	^^ Compact elegant design versus Delonghi Dedica or WMF Lumero, Smeg espresso machine; ^^ Unique with flow meter for precise cup size control; ^^ Heavy Phenolic Resin(PF) handle; ^^ Three reprogrammable touch buttons for One-Cup, Two-Cup, Steam/Hot Water functions; ^^ Instant heating thermo-block for fast brewing and safe, hygiene; ^^ Exclusive sucking feet to keep machine steady; ^^ Stainless steel drip tray grid and cup warmer; ^^ Removable drip tray for tall glass; ^^ Removable water tank; ^^ Energy saving system: auto off in 8 min. when standing by; ^^ Optional One-Cup, Two-Cup, E.S.E. Pod filters; ^^ Optional function of one touch for milk coffee like Cappuccino, Latte; with Pyrex glass container. *The above mentioned product size is base on the size with portafilter installed.Logistic info of TC58+:1512/3192/3192pcs
Rated Frequency	50Hz	TC58+ Size	368Lx213Wx303Hmm	
Rated Power	1,400W	Color Box Size	280×155×321mm	
Pump Pressure	20bars	N.W./G.W.	2.6/3.2kgs	
Water Tank Capacity	1000ml	Carton Size	290W×630L×338Hmm	
Drip Tray Capacity	250ml	PCS/CTN.	4	
Milk Container Capacity	1000mm	PCS/20' FCL	2,016	
Protection Class	I	PCS/40'FCL	4,256	
Housing Material	ABS plastic	PCS/40'HQ FCL	4,256	
Approval		H. S. Code	8516713000	

LBCM012

Coffee machine

Basic specification			Additional
Voltage	220-240V/110-120V		• Plastic housing • 15Bar high pressure pump • 1.2L detachable transparent water tank • With safety valve can release pressure automatically • Thermo block heating system • With stainless steel decoration • Aluminum alloy filter holder attached with dual stainless fitler to improve coffee quality • Can use for ground coffee • Can make coffee or steam conveniently • Detachable frothing nozzle and drip tray for easy cleaning • Safe and reliable, with overheating and over pressure protected device • Durable stainless cup plate for coffee cups preheating
Frequency	50Hz		
Power	1350W		

LBCM013

ESPRESSO MAKER

Basic specification			Product Features:
Voltage	220-240V/110-127V		1. 2 in 1 coffee machine available for coffee powder or coffee beans 2. Automatic control of coffee volume, adjustable and memorable 3. With safety valve can release pressure automatically 4. Thermoblock heating system 5. With stainless steel housing 6. Aluminum alloy filter holder attached with dual stainless filter to improve coffee quality 7. Detachable frothing nozzle and drip tray for easy cleaning 8. Safe and reliable, with overheating and overpressure protected device 9. Durable stainless cup plate for coffee cups preheating 10.With pressure meter on front body to show the display 11. Can grind 1 cup or 2 cups of coffee powder automatically, and manually control for amount of ground coffee powder 12. Can adjust the thickness of coffee powder
Frequency	50/60Hz		
Power	1350W Grinding 180W		
Water Tank Capacity	2000ml		
Bean Container Capacity	200g		
Coffee Volumn adjustable	Preset 1 and 2 cup coffee		

LBCM026

ESPRESSO MAKER

Basic specification			Product Features:
MOQ	40HQ		Voltage and power: 220~240V 50Hz 1600 watts 1, Single heating system. 15bar. 2, 2 in one coffee machine, with 230g coffee bean box. 3, With PID intelligent temp control for more accurate and stable temperature, the temperature inside the funnel can be controlled within the range of ±2℃; 4, Integrated conical burr grinding system, adjustable coffee finest,with 30 grind settings to meet different demands; 5, Adjustable or fixed quantity of ground coffee and adjustable single or double cup volume. 6, 58mm commercial brewing system, make better coffee effect; 7, With hot water function, for easy cleaning and warm cup; 8, Powerful steam wand for making cappuccino, latte and macchiato; 9, Aluminum Die casting 58MM brewing funnel, 10, Detachable frothing nozzle and drip tray for easy cleaning 11, Safe and reliable, with overheating and over pressure protected device 12, 3L removable transparent water Tank. Brewing Temp. reach to 92-96 degree. Coffee temp. keep to 72-85 degree.
Product Size	347*320*480mm		
Gift box size	450*400*500mm		
Carton box size	470*420*525mm		
N.W.	9kgs		
G.W.			
20'GP	306pcs		
40'GP	622pcs		
40'HQ	712pcs		

LBCM014

2-in-1 Single Serve Coffee Maker

Basic specification			Product Features:
Voltage	110-240V		*Color:Black *Water reservoir holds 30oz/900ml *Simple one Button Operation (change to on/off button: add water ,close the lid ,then press the power on, after finish 1st cup, turn off the button , wait more than 2mins ,then turn on the power on for 2nd cup) *2 Ways for Brewing Coffee:ground coffee and K-cup podsc *Quick Brew Technology *Delicious taste: ≥80℃ coffee temperature *Removable drip tray *Compact Design *Fits a variety of of cups and travel mugs (not include cup)
Wattage	700W		

LBCM015

10 OZ Iced coffee machine

Basic specification		Main Functions in Panel		Product Features:
Machine size	L250×W185×H360mm			
Weight	1.7KG			
Coffee Machine Color	BLK/WHT/BLUE			
Voltage	220-240V/100-120V			
Rated Power	700W			
Water tank Capacity	10 OZ			
Approval				

LBCM016

14 OZ K-Cup Mini Coffee Maker

Basic specification			Additional:
Voltage	220-240V/110-127V		+ Rating: 120V 1000W + Transparent water tank + Rapid heating system + For Ground & Capsule + For normal & height cup
Frequency	50/60Hz		
Power	1000W		
Water Tank Capacity	14OZ		

LBCM017

Manual Espresso Machine

Basic specification			Additional:
Certificate	CE GS ETL ROHS		^^Smallest capsule espresso machine in the world! Patented! ^^Patented automatic ejection system ^^Three touch buttons for Restretto, Espresso(short), Lungo(long): 25ml/40ml/110ml ^^All button cup sizes are reprogrammable with precise flow meter control ^^Exclusive sucking feet to keep machine steady Optionalstainless steelhousing ^^Optional sliding cover handle: metal or plastic ^^Instant heating thermo-block for fast brewing ^^Removable drip tray for tall glass removable water tank ^^Energy saving system: auto off in 8 min. when idle
Rated Voltage	110-240V		
Rated Frequency	50/60Hz		
Rated Power	1,400W		
Pump Pressure	15/20bars		
Water Tank Capacity	1700ml		
Protection Class	I		
Housing Material	ABS&Stainless steel		
Product size	294Lx86Wx224Hmm		
Gift box size	312x101x246mm		
Outer carton size	331Lx416WX262Hmm		
Qty for 20ft"	3448PCS		
Qty for 40hq	8032PCS		

LBCM018

Manual Espresso Machine

Basic specification			Additional:
Certificate:	CE ROHS GS ETL LFGB		^^ Fashion design ^^ Temperature to be as high as 80-85℃ in Carafe ^^ Pyrex Carafe with cool touch metal ring free handle ^^ Illuminated On/Off switch ^^ With Carafe warmer to keep warming ^^ Visible water scale ^^ Enlarged hot water shower for evenly brewing ^^ Removable filter basket with foldable handle ^^ Anti drip valve for 'Sneak a cup' feature ^^ Durable heating element and precise temp. control ^^ Stainless steel decoration optional ^^ Boil dry protection --For A*B corrugated post box(not gift box), logistic info:246*158*310mm; PCS/CTNR: 2230/4760/5050.
Voltage/Power	220-240V~/110-127V~,600w		
Carafe Capacity:	0.75L, 5 Cups		
Water Tank Capacity	0.75L(25Oz.)		
N.W/G.W	1.1/1.6kg		
Product size	218D×143W×274Hmm		

LBCM019

Manual Espresso Machine

Basic specification			Additional:
Certificate	CE GS ETL ROHS		^^ Popular design with innovative functions and different specifi-cations for the market. ^^ 20 bar high pressure pump; ^^ Unique with flow meter for precise cup size control; ^^ Heavy&Rigid Phenolic Resin(PF) handle; ^^ Three white illuminated touch buttons for One-Cup, Two-Cup, Steam/Hot Water functions; ^^ Instant heating thermo-block with just 15 seconds preheating, fast brewing and safe, hygiene; ^^ Stainless steel decration housing; ^^ Stainless steel steam wand with exclusive manual valve for steam or hot water; ^^ Stainless steel drip tray grid and cup warmer; ^^ Removable drip tray for tall glass; ^^ Removable big volume water tank with foldable tank lid; ^^ Energy saving system: auto off in 8 min. when standing by; ^^ Filters: One-Cup, Two-Cup, E.S.E. Pod filters; two included in the quotation.
Rated Voltage	110-240V		
Rated Frequency	50/60Hz		
Rated Power	1,400W		
Pump Pressure	15/20bars		
Water Tank Capacity	1700ml		
Protection Class	I		
Housing Material	ABS&Stainless steel		
Product size	231W×210D×276HLmm		
Gift box size	255.5D×229W×310H		
Outer carton size	521×320×474mm		
Qty for 20ft"	1532PCS		
Qty for 40hq	3672PCS		

LBCM020

Manual Espresso Machine

Basic specification			Additional:
Certificate	CE GS ETL ROHS		^^ Popular design with innovative functions and different specifi-cations for the market. ^^ 20 bar high pressure pump; ^^ Unique with flow meter for precise cup size control; ^^ Heavy&Rigid Phenolic Resin(PF) handle; ^^ Three white illuminated touch buttons for One-Cup, Two-Cup, Steam/Hot Water functions; ^^ Instant heating thermo-block with just 15 seconds preheating, fast brewing and safe, hygiene; ^^ Stainless steel decration housing; ^^ Stainless steel steam wand with exclusive manual valve for steam or hot water; ^^ Stainless steel drip tray grid and cup warmer; ^^ Removable drip tray for tall glass; ^^ Removable big volume water tank with foldable tank lid; ^^ Energy saving system: auto off in 8 min. when standing by; ^^ Filters: One-Cup, Two-Cup, E.S.E. Pod filters; two included in the quotation.
Rated Voltage	110-240V		
Rated Frequency	50/60Hz		
Rated Power	1,400W		
Pump Pressure	15/20bars		
Water Tank Capacity	1700ml		
Protection Class	I		
Housing Material	ABS&Stainless steel		
Product size	231W×210D×276HLmm		
Gift box size	255.5D×229W×310H		
Outer carton size	521×320×474mm		
Qty for 20ft"	1532PCS		
Qty for 40hq	3672PCS		

LBACM007

Coffee machine



Basic specification		Product Features:
Screen	4.3 inches TFT with capacitive touch panel	
Water tank capacity	1.5L	
Bean container capacity	300g	
Grinding speed	1-2g/s	
Level of grinder	14	
Brewing unit	7-15g capacity,SS304 cavity	
Coffee grounds container	10-15Pcs	
Milk tank capacity	400ml	
Milk cooler temp.	2-9℃	
Milk foam adjust	automatic,setting on the menu	
Pump	Italy ULKA (CEME) 19bar	
Flowmeter	Switzerland DIGMESA	
boiler	double transient thermal,SS304 pipe inside	
Certificate	CE /CB/GS/LFGB/FDA/Rohs/Reach	
Carton Meas. (MM)	420x330x510	
Container Loading QTY	20GP 365 / 40GP 755 / 40HQ 966	
Net weight	11.4kg	
Gross weight	14kg	

LBACM007-1

Coffee machine

BASIC CONFIGURATION		Main Functions in Panel	
Voltage	110-127/220-240	Espresso	√
Frequency	50/60Hz	Americano	√
Power	1480W	Latte	√
Water Tank Capacity	1.5L	coffee temperature adjust	√
Bean Container Capacity	300G	In accordance with ERP standby power consumption	√
Coffee Volumn adjustable	adjustable	Removable water tank	√
Aluminium Boiler	2pcs	Self-clean	√
Pump Pressure	19 bar Italian Pump	Water Shortage Warning	√
Coffee Powder Volumn	7g-15g	Cappuccino	√
Waste coffee cake capacity	10-15pcs	Adjustable coffee taste	√
Wire Length	1m	Removable waste coffee cake drawer	√
Coffee Outlet Height	adjustable	Stand-by	√
Net Weight	10.7KG		
Gross Weight	13.3KG		
Product Size	43*33*51 cm		
Touch screen	OLED 4.3 inches		
Carton Box Size	42*33*51cm		
Coffee Temperature	75-95 degree		
QTY/20"	365(PCS)		
QTY/40"	966(PCS)		

LBACM007-2

Coffee machine

BASIC CONFIGURATION		Main Functions in Panel	
Voltage	110-127/220-240	Espresso	√
Frequency	50/60Hz	Americano	√
Power	1480W	Latte	√
Water Tank Capacity	1.5L	coffee temperature adjust	√
Bean Container Capacity	300G	In accordance with ERP standby power consumption	√
Coffee Volumn adjustable	adjustable	Removable water tank	√
Aluminium Boiler	1pc	Self-clean	√
Pump Pressure	19 bar Italian Pump	Water Shortage Warning	√
Coffee Powder Volumn	7g-15g	Cappuccino	√
Waste coffee cake capacity	10-15pcs	Adjustable coffee taste	√
Wire Length	1m	Removable waste coffee cake drawer	√
Coffee Outlet Height	adjustable	Stand-by	√
Net Weight	9.4KG		
Gross Weight	12kg		
Product Size	42*33*51 cm		
Touch screen	OLED 4.3 inches		
Carton Box Size	42*33*51cm		
Coffee Temperature	75-95 degree		
QTY/20"	365(PCS)		
QTY/40"	966(PCS)		

LBACM007-3

Coffee machine

BASIC CONFIGURATION		Main Functions in Panel	
Voltage	110-127/220-240	Espresso	√
Frequency	50/60Hz	Americano	√
Power	1480W		
Water Tank Capacity	1.5L	coffee temperature adjust	√
Bean Container Capacity	300G	In accordance with ERP standby power consumption	√
Coffee Volumn adjustable	adjustable	Removable water tank	√
Aluminium Boiler	1pc	Self-clean	√
Pump Pressure	19 bar Italian Pump	Water Shortage Warning	√
Coffee Powder Volumn	7g-15g		
Waste coffee cake capacity	10-15pcs	Adjustable coffee taste	√
Wire Length	1m	Removable waste coffee cake drawer	√
Coffee Outlet Height	adjustable	Stand-by	√
Net Weight	8.8KG		
Gross Weight	11.4kg		
Product Size	42*33*51 cm		
Touch screen	OLED 4.3 inches		
Carton Box Size	42*33*51cm		
Coffee Temperature	75-95 degree		
QTY/20"	365(PCS)		
QTY/40"	966(PCS)		

LBACM011

Coffee machine

BASIC CONFIGURATION		Main Functions in Panel	
Voltage	110-127/220-240	Espresso	√
Frequency	50/60Hz	Americano	√
Power	1480W	coffee temperature adjust	√
Water Tank Capacity	1.2L	In accordance with ERP standby power consumption	√
Bean Container Capacity	120G	Removable water tank	√
Coffee Volumn adjustable	adjustable	Self-clean	√
Boiler	1pc	Water Shortage Warning	√
Pump Pressure	19 bar Italian Pump	Adjustable coffee taste	√
Coffee Powder Volumn	7g-12g	Removable waste coffee cake drawer	√
Waste coffee cake capacity	10-15pcs	Stand-by	√
Wire Length	1m		
Coffee Outlet Height	adjustable		
Net Weight	8KG		
Gross Weight	9kg		
Product Size	19.5*31.5*40.3 cm		
Touch screen	OLED 1 inches		
Carton Box Size	22*34*44cm		
Coffee Temperature	75-95 degree		
QTY/20"	848(PCS)		
QTY/40"	2060(PCS)		

LBACM012

Coffee machine

BASIC CONFIGURATION		Main Functions in Panel	
Voltage	110-127/220-240	Espresso	√
Frequency	50/60Hz	Americano	√
Power	1480W	Latte	√
Water Tank Capacity	1.2L	coffee temperature adjust	√
Bean Container Capacity	120G	In accordance with ERP standby power consumption	√
Coffee Volumn adjustable	adjustable	Removable water tank	√
Aluminium Boiler	2pcs	Self-clean	√
Pump Pressure	19 bar Italian Pump	Water Shortage Warning	√
Coffee Powder Volumn	7g-12g	Cappuccino	√
Waste coffee cake capacity	10-15pcs	Adjustable coffee taste	√
Wire Length	1m	Removable waste coffee cake drawer	√
Coffee Outlet Height	adjustable	Stand-by	√
Net Weight	9KG		
Gross Weight	10kg		
Product Size	19.5*31.5*40.3 cm		
Touch screen	OLED 1 inches		
Carton Box Size	22*34*44cm		
Coffee Temperature	75-95 degree		
QTY/20"	848(PCS)		
QTY/40"	2060(PCS)		

LBACM013

Coffee machine

BASIC CONFIGURATION		Main Functions in Panel	
Voltage	110-127/220-240	Espresso	√
Frequency	50/60Hz	Americano	√
Power	1480W	Latte	√
Water Tank Capacity	1.2L	coffee temperature adjust	√
Bean Container Capacity	120G	In accordance with ERP standby power consumption	√
Coffee Volumn adjustable	adjustable	Removable water tank	√
Aluminium Boiler	2pcs	Hot water	√
Pump Pressure	19 bar Italian Pump	Self-clean	√
Coffee Powder Volumn	7g-12g	Water Shortage Warning	√
Waste coffee cake capacity	10-15pcs	Cappuccino	√
Wire Length	1m	Adjustable coffee taste	√
Coffee Outlet Height	adjustable	Removable waste coffee cake drawer	√
Net Weight	9KG	Stand-by	√
Gross Weight	10kg	Milk foam	√
Product Size	19.5*31.5*40.3 cm		
Touch screen	capacitive screen 4.3 inches		
Carton Box Size	22*34*44cm		
Coffee Temperature	75-95 degree		
QTY/20"	848(PCS)		
QTY/40"	2060(PCS)		

LBACM014

Built in Automatic coffee machine

BASIC CONFIGURATION		Main Functions in Panel	
Display	8.8in TFT,can oem	Ristretto	√
Water tank	2.4L	Latte	√
Bean Box	500g	Cappuccino	√
Grinding thickness adjustment gear	Stepless adjustment speed change	Espresso	√
Brewing unit material	Plastic+Metal	Macchiato	√
Brewing unit	7-15g	Hot water	√
Coffee grounds container	10-15Pcs	Caramel macchiato	√
Milk tank capacity	500ml	Americano	√
Milk tank tempreture.	normal	Foam	√
Milk foam adjust	automatic,setting on the menu	Hot Milk	√
Pump	Italy, 19bar		
Boilder	Single		

LBACM016

Built in Automatic coffee machine



BASIC CONFIGURATION		Main Functions in Panel	
Display	Display	Ristretto	√
Water tank	Water tank	Ristretto	√
Bean Box	Bean Box	Espresso	√
Grinding thickness adjustment gear	Stepless adjustment speed change	Espresso Macchiato	√
Brewing unit material	Plastic+Metal	Lungo	√
Brewing unit	7-15g	Cappuccino	√
Coffee grounds container	10-15Pcs	Latte Macchiato	√
Milk tank capacity	500ml	Latte	√
Milk tank tempreture	normal	Milk froth	√
Milk foam adjust	automatic,setting on the menu	Warm Milk	√
Pump	Italy, 19bar	hot water	√
Boilder	Single	cold water(15℃)	√

LBMF003

Electric Milk Frother

FEATURES:

+ Luxury design with inox body, cork handle
+ Convenient one touch control
+ Cold froth, hot milk, hot froth, boiled water functions

Basic specification		Main Functions in Panel		Product Features:
Rated Voltage	AC 100-110/220-240V	Product Size	177*110*183mm	^^ Luxury Automatic Milk frother makes hot or cold milk froth for cappuccino,latte, macchiato or iced drinks and other hot drinks; ^^ Stainless steel polished or satined body with non-stick interior; ^^ Real wood handle; ^^ One touch control for perfect user experience; ^^ Transparent visible top cover; ^^ Detachable base; ^^ Energy saving system: 8 minutes auto turn off when idle; ^^ Quickly heats up to 60-70 degrees celsius; ^^ Maximum and minimum level indicators;
Rated Frequency	60/50Hz	Color Box Size	171*171*128mm	
Rated Power	550W	N.W./G.W.	0.82/0.87kg	
Max. Frothing Capacity	4.25oz./125ml	Carton Size	361*349*642mm	
Max. Heating Capacity	8.5oz./250 ml	PCS/CTN.	20	
Protection Class	I	PCS/20' FCL	7,320	
Material	Stainless-steel, Plastic, Wood	PCS/40'FCL	14,640	
Cold frothing time	2min	PCS/40'HQ FCL	17,080	
Approval		H.S. Code	8509409000	

LBMF004

Electric Milk Frother

FEATURES :

+ Fashion design
+ One button control
+ Providing hot, cold froth, hot froth functions

Basic specification		Main Functions in Panel		Product Features:
Rated Voltage	230V~/110V~	Product Size	192*Φ102mm	^^ Automatic Milk frother makes hot or cold milk froth for cappucci-no, latte,macchiato or iced drinks and other hot drinks; ^^ One button for hot, cold frothing and milk heating; ^^ Transparent visible top cover; ^^ Detachable base; ^^ Energy saving system: 8 minutes auto turn off when idle; ^^ Quickly heats up to 60-70 degrees celsius; ^^ Maximum and minimum level scales; ^^ Polised Neck; Granite feeling interior non-stick coating, in silver color; ^^ Silver heat print Kenmore logo ^^ UL three pin standard plug ^^ Lower rotating speed
Rated Frequency	50/60Hz	Color Box Size	178*140*112mm	
Rated Power	400W	N.W./G.W.	0.62/0.67kg	
Max. Frothing Capacity	80ml	Carton Size	379*424*552mm	
Max. Heating Capacity	210ml	PCS/CTN.	30	
Protection Class	I	PCS/20' FCL	10,080	
Material	Aluminum Alloy+PP+ABS	PCS/40'FCL	20,160	
Cold frothing time	2min	PCS/40'HQ FCL	26,520	
Approval		H.S. Code	8509409000	

LBMF006

Electric Milk Frother

FEATURES :

+ Fashion design
+ One button control
+ Providing hot, cold froth, hot froth functions

Basic specification		Main Functions in Panel		Product Features:
Rated Voltage	220-240V	Gift box size :	16.1x16.1x17.3cm	^^ Automatic Milk frother makes hot or cold milk froth for cappucci-no, latte,macchiato or iced drinks and other hot drinks; ^^ One button for hot, cold frothing and milk heating; ^^ Transparent visible top cover; ^^ Detachable base; ^^ Energy saving system: 8 minutes auto turn off when idle; ^^ Quickly heats up to 60-70 degrees celsius; ^^ Maximum and minimum level scales; ^^ Polised Neck; Granite feeling interior non-stick coating, in silver color; ^^ Silver heat print Kenmore logo ^^ UL three pin standard plug ^^ Lower rotating speed
Rated Frequency	50/60Hz	Mail-order box	17.5x17.5x19.5cm	
Rated Power	400W	Outer carton size:	55x37x41.5cm	
Max. Frothing Capacity	150ml	Qty for 20ft"	3,816pcs	
Max. Heating Capacity	300ml			
Material	PP house			
Approval				